

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	1485454	(acoustic\$4 or ultrasonic\$4 or ultrasound\$4 or sonic\$4 or sound\$4 or supersonic\$4 or supersound\$4 or megasound\$4 or megasonic\$4 or microsound\$4 or microsonic\$4 or macrosonic\$4 or macrosound\$4 or infrasound\$4 or infrasonic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:54
L16	1244	(electronic\$3 or computer) near3 (generat\$3 or produc\$3) near3 (specification or specs or intention\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:12
L18	4	(electronic\$3 or computer) near3 (generat\$3 or produc\$3) near3 (specification or specs or intention\$3) near15 (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:12
L20	242	(manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object) with (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:20
L21	56	20 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:20

L23	1	16 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:21
L24	27	method near3 (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object) with (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:22
L25	0	after near7 (specification or requir\$5) near7 (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object) with (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:32
L26	2	after near7 (specification or requir\$5) near7 (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object) and (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:32

L27	111	(electronic\$3 or computer) near3 (generat\$3 or produc\$3) near3 (specification or specs or description or proposal or location or position) near15 (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:51
L28	1	20 and 27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:53
L29	77	method near3 (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object) same (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:56
L30	28	(automated or automatically) same (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object) same (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 12:57

L31	174	(automated or automatically) and (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object) same (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:04
L33	24	(generat\$3 or produc\$3 or creat\$3) near3 specification and (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object or coupon) same (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:06
L34	376	(generat\$3 or produc\$3 or creat\$3) near3 specification and (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object or coupon or component) and (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:31
L35	168	9 and 34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:32

L38	81	feist-w.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:51
L39	28	bamberg-joachim.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:52
L40	30	bamberg-j.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:58
L41	644	(73/598,600,606).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/04 13:58
L43	2	41 and (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object or coupon) and (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 13:59
L44	362	(73/1.82,1.86).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/04 14:00
L45	4	44 and (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object or coupon) and (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:01

L46	0	(generat\$3 or produc\$3 or creat\$3) near3 specification near3 (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3) near15 (2D or 3D or ((two or three) near3 dimention \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:12
L47	1	(generat\$3 or produc\$3 or creat\$3) near3 specification near15 (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3) near15 (2D or 3D or ((two or three) near3 dimention \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:13
L48	1	(generat\$3 or produc\$3 or creat\$3) near3 specification near15 (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3) near30 (2D or 3D or ((two or three) near3 dimention \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:15
L49	11	(generat\$3 or produc\$3 or creat\$3) near3 (electronic\$3 or comput \$3) near15 (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3) near30 (2D or 3D or ((two or three) near3 dimention \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:17
L56	77671	(sterolithography or lithograpy or CAD or (stereo near3 lithography) or (computer near3 aid\$3 near3 design))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:40

L57	11	56 and 44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:40
L61	2788321	phantom or standard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:45
L62	5704	56 same 61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:46
L63	1174	62 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:46
L64	650	63 and (flaw or microcrack or discontinuous\$2 or discontinuity or crack\$3 or damag\$3 or defect\$4 or laminate or delaminate or fault\$1 or corrosion\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:47
L65	360	56 and (manufactur\$3 or mak\$3 or creat\$3) near3 (test\$3 or reference or standard or calibrat\$4) near3 (specimen or block or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 15:02
L66	6	("20060234391" "20070006651" "20070119256" "6426274" "6684701" "7216544").PN. OR ("7434468").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/04 15:44
L67	2259	56 near15 61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 15:45

L68	1312	56 near5 61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 15:46
-----	------	-------------	-------------------------------------------------------------------------	----	----	---------------------

6/4/09 3:49:12 PM

C:\Documents and Settings\TBellamy\My Documents\EAST\workspaces\10581539.wsp